



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 20-008355/D02.R00
Report Date: 08/13/2020
Purchase Order:
Received: 08/10/20 10:28 AM



Customer: Analytical Resource Lab
520 South 850 East, STE B3
Lehi Utah 84043
United States

Sample ID: 361677 - Reverse Anti-Aging Serum Lot 19411

Sample Matrix: Supplement

Laboratory ID: 20-008355-0001

Evidence of Cooling: No

Temp: 23 °C

Sample Results

Individual Analyses

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Glyphosate	< LOQ	mg/kg	0.0500	08/13/20	QuPPE-method, EURL-SRM, Version 7, Dec 2012	

Pesticides

Multi-Residue Pesticide Profile

All compounds on the attached sheet were found to be <LOQ except those listed

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Boscalid	0.010	mg/kg	0.0100	08/13/20	AOAC 2007.01 & EN 15662 (mod)	LM
Fludioxonil	0.048	mg/kg	0.0100	08/13/20	AOAC 2007.01 & EN 15662 (mod)	
Pyrimethanil	0.022	mg/kg	0.0100	08/13/20	AOAC 2007.01 & EN 15662 (mod)	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 20-008355/D02.R00
Report Date: 08/13/2020
Purchase Order:
Received: 08/10/20 10:28 AM



ColumbiaLaboratories,Inc
P2220 Multi-Residue Profile, Limits of Quantitation (MDL Sheet)

Compound	Hi H2O	Lo H2O	Compound	Hi H2O	Lo H2O	Compound	Hi H2O	Lo H2O
2,4-D	0.010	0.010	Carbophenothion-methyl	0.010	0.010	Demeton-Smethyl sulfone	0.010	0.010
2,4-DB	0.010	0.010	Carboxin	0.010	0.010	Desmedipham	0.010	0.010
2,4-DP (Dichlorprop)	0.010	0.010	Carfentrazone-ethyl	0.010	0.010	Diallate	0.010	0.010
2,4,5-TP	0.010	0.010	Chlorantraniliprole	0.010	0.010	Diazinon	0.010	0.010
Acephate	0.020	0.020	Chlordane, cis-	0.010	0.010	Diazoxon	0.010	0.010
Acetaminocyl	0.010	0.010	Chlordane, trans-	0.010	0.010	Dicamba	0.010	0.010
Acetamidrid	0.010	0.010	Chlordimeform	0.010	0.010	Dichlobenil	0.010	0.010
Acetochlor	0.010	0.010	Chlorfenapyr	0.010	0.010	Dichlofenthion	0.010	0.010
Acifluorfen	0.010	0.010	Chlorfenson (Oxex)	0.010	0.010	Dichlofluanid	0.010	0.010
Acrinathrin	0.010	0.010	Chlorfenvinphos	0.010	0.010	Dichlorbenzamide	0.010	0.010
Alachlor	0.010	0.010	Chlorimuron-ethyl	0.010	0.010	Dichlorvos	0.010	0.010
Aldicarb	0.010	0.010	Chlornitrofen (ONP)	0.010	0.010	Diclobutazid	0.010	0.010
Aldicarb sulfoxide	0.010	0.010	Chlorobenzilate	0.010	0.010	Diclofop-methyl	0.010	0.010
Aldoxycarb (Aldicarb-sulfone)	0.010	0.010	Chloroneb	0.010	0.010	Diclofop (acid)	0.010	0.010
Aldrin	0.010	0.010	Chlorothalonil	0.010	0.050	Didoran	0.010	0.010
Ametryn	0.010	0.010	Chlorpropham (GPC)	0.010	0.010	Dicofol, o,p'/ p,p'-	0.010	0.010
Aspon	0.010	0.010	Chlorpyrifos (Chlorpyrifos ethyl)	0.010	0.010	Dicrotophos	0.010	0.010
Atrazine	0.010	0.010	Chlorpyrifos-methyl	0.010	0.010	Dieldrin	0.010	0.010
Atrazine-desethyl	0.010	0.010	Chlorsulfuron	0.010	0.010	Diethofencarb	0.010	0.010
Avermectin B1a/B1b (Abamectin)	0.010	0.010	Chlorthion	0.010	0.020	Diethyltoluamide (DEET)	0.010	0.010
Azinphos-ethyl	0.010	0.010	Chlorthiophos	0.010	0.010	Difenoconazole	0.010	0.010
Azinphos-methyl	0.010	0.010	Cinerin	0.010	0.050	Diflubenzuron	0.010	0.010
Azoxystrobin	0.010	0.010	Clethodim	0.010	0.010	Diflufenzopyr	0.010	0.010
Benalaxyl	0.010	0.010	Clethodim Sulfone	0.010	0.010	Dimethenamid	0.010	0.010
Bendiocarb	0.010	0.010	Clethodim Sulfoxide	0.010	0.010	Dimethoate	0.010	0.010
Benfluralin	0.010	0.010	Cofentazine	0.010	0.010	Dimethomorph	0.010	0.010
Benoxacor	0.010	0.010	Comazone	0.010	0.010	Diniconazole	0.010	0.010
Bersulide	0.010	0.010	Coppyralid	0.010	0.010	Dinocap	0.010	0.010
Bentazon	0.010	0.010	Cothianidin	0.010	0.010	Dinoseb	0.010	0.010
BHCalpha (HCH)	0.010	0.010	Coumaphos	0.010	0.010	Dinotefuran	0.010	0.010
BHCBeta (HCH)	0.010	0.010	Crotoxyphos	0.010	0.010	Dioxathion	0.010	0.010
BHCDelta (HCH)	0.010	0.010	Cyanazine	0.010	0.010	Diphenamid	0.010	0.010
Bifenazate	0.010	0.010	Cyanofenphos	0.010	0.010	Diphenylamine	0.010	0.010
Bifenox	0.010	0.010	Cyanophos	0.010	0.010	Disulfoton	0.010	0.010
Bifenthrin	0.010	0.010	Cyantraniliprole	0.010	0.010	Disulfoton sulfone	0.010	0.010
Binapacryl	0.010	0.010	Cyazfamid	0.010	0.010	Disulfoton sulfoxide	0.010	0.010
Bitertanol	0.010	0.010	Cycloate	0.010	0.010	Dithianon	0.010	0.010
Boscalid (Nicobifen)	0.010	0.010	Cycloxydim	0.010	0.010	Duron	0.010	0.010
Bromacl	0.010	0.010	Cyfluthrin	0.010	0.010	DNOC	0.010	0.010
Bromophos (Bromophos-methyl)	0.010	0.010	Cyhalothrin, lambda	0.010	0.010	Edifenphos	0.010	0.010
Bromophos-ethyl	0.010	0.010	Cymoxanil	0.010	0.010	Endosulfan alpha	0.010	0.020
Bromopropylate	0.010	0.010	Cypermethrin: as the sum of	0.010	0.010	Endosulfan beta	0.010	0.020
Bromoxynil	0.010	0.010	Cypermethrins, including alpha and zeta			Endosulfan sulfate	0.010	0.010
Bromuconazole	0.010	0.010	Cyprodinil	0.010	0.010	Endrin	0.010	0.010
Bupirimate	0.010	0.010	Cyromazine	0.010	0.010	Endrin aldehyde	0.010	0.010
Buprofezin	0.010	0.010	Dacthal (Chlorthal-dimethyl)	0.010	0.010	EPN	0.010	0.010
Butachlor	0.010	0.010	DDD, o,p'-	0.010	0.010	EPTC (Eptam)	0.010	0.010
Butralin	0.010	0.010	DDD, p,p'-	0.010	0.010	Esfenvalerate/Fenvalerate	0.010	0.030
Butylate	0.010	0.010	DDE, o,p'-	0.010	0.010	Etaconazole	0.010	0.010
Cadusafos	0.010	0.010	DDE, p,p'-	0.010	0.010	Ethalfuralin	0.010	0.010
Captafol	0.050	0.100	DDT, o,p'-	0.010	0.010	Ethiofencarb	0.010	0.010
Captan	0.010	0.050	DDT, p,p'-	0.010	0.010	Ethion	0.010	0.010
Carbaryl	0.010	0.010	DEF (Tribufos)	0.010	0.010	Ethirimol	0.010	0.010
Carbendazim	0.010	0.010	Deltamethrin	0.010	0.010	Ethofumesate	0.010	0.010
Carbofuran	0.010	0.010	Demeton-S	0.010	0.010	Ethoprophos	0.010	0.020
Carbofuran, 3-hydroxy	0.010	0.010	Demeton-Smethyl	0.010	0.010	Ethoxyquin	0.010	0.010
Carbophenothion	0.010	0.010						

LOQ= Limit of quantitation, mg/kg

Hi H2O: Sample moisture content greater than 70%

Lo H2O: Sample moisture content less than 70%



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 20-008355/D02.R00
Report Date: 08/13/2020
Purchase Order:
Received: 08/10/20 10:28 AM



ColumbiaLaboratories,Inc
P2220 Multi-Residue Profile, Limits of Quantitation (MDL Sheet)

Compound	Hi H2O	Lo H2O	Compound	Hi H2O	Lo H2O	Compound	Hi H2O	Lo H2O
Bofenprox	0.010	0.010	Heptenophos	0.010	0.010	Metobromuron	0.010	0.010
Boxazde	0.010	0.010	Hexachlorobenzene	0.010	0.010	Metolachlor	0.010	0.010
Etridiazde	0.010	0.010	Hexaconazole	0.010	0.010	Metolcarb	0.010	0.010
Brimfos	0.010	0.010	Hexazinone	0.010	0.010	Metribuzin	0.010	0.010
Famoxadone	0.010	0.010	Hexythiazox	0.010	0.010	Metsulfuron-methyl	0.010	0.010
Famphur	0.010	0.010	Hydroprene	0.010	0.010	Mevinphos	0.010	0.010
Fenamidone	0.010	0.010	Imazail	0.010	0.010	MGK264	0.010	0.010
Fenamiphos	0.010	0.010	Imazamtx	0.010	0.010	Mirex	0.010	0.010
Fenamiphos sulfone	0.010	0.010	Imazapic	0.010	0.010	Molinate	0.010	0.010
Fenamiphos sulfoxide	0.010	0.010	Imazapyr	0.010	0.010	Monocrotophos	0.010	0.010
Fenarimol	0.010	0.010	Imazaquin	0.010	0.010	Monolinuron	0.010	0.010
Fenbuconazole	0.010	0.010	Imazethaphyr	0.010	0.010	Myclobutanil	0.010	0.010
Fenbutatin oxide	0.010	0.010	Imidacbpriid	0.010	0.010	Naled	0.010	0.010
Fenclorophos	0.010	0.010	Imidoxone	0.010	0.050	Napropamide	0.010	0.010
Fenhexamid	0.010	0.010	Indazflam	0.010	0.010	Neburon	0.010	0.010
Fenitrothion	0.010	0.010	Indoxacab	0.010	0.010	Nicosulfuron	0.010	0.010
Fenobucarb	0.010	0.010	Iprobenfos	0.010	0.010	Nitrapyrin	0.050	0.050
Fenoxycarb	0.010	0.010	Iprodione	0.010	0.010	Nitrofen	0.010	0.010
Fenpropathrin	0.010	0.010	Isazqphos	0.010	0.010	Norflurazon	0.010	0.010
Fenpyroximate	0.010	0.010	Isobenzan	0.010	0.010	Novaluron	0.010	0.010
Fenson	0.010	0.010	Isocarbophos	0.010	0.010	Nuarimol	0.010	0.010
Fensulfthion	0.010	0.010	Isodrin	0.010	0.010	Omethoate	0.010	0.010
Fenthion	0.010	0.010	Isofenphos	0.010	0.010	O-Phenylphenol	0.010	0.030
Fenuron	0.010	0.010	Isofenphos-methyl	0.010	0.010	Oryzalin	0.010	0.010
Fipronil	0.010	0.010	Isofenphos OA	0.010	0.010	Oxadiazon	0.010	0.010
Fonicamid	0.010	0.010	Isoprocarb	0.010	0.010	Oxadixyl	0.020	0.020
Fluazfop	0.010	0.010	Isopropalin	0.010	0.010	Oxamyl	0.010	0.010
Fluazham	0.010	0.010	Isoprothiolane	0.010	0.010	Oxamyl-oxime	0.010	0.010
Fluchloralin	0.010	0.010	Isoproturon	0.010	0.010	Oxychlordane	0.010	0.010
Flucythrinate	0.010	0.010	Isoxaben	0.010	0.010	Oxydemeton-Methyl	0.010	0.010
Fludioxonil	0.010	0.010	Isoxaflutole	0.010	0.010	Oxyfluorfen	0.010	0.010
Flufenacet	0.010	0.010	Jasmodin	0.010	0.010	Oxythioquinox	0.010	0.020
Flumioxazin	0.010	0.010	Kresoxim-methyl	0.010	0.010	Pacbutrazd	0.010	0.010
Fluometuron	0.010	0.010	Lactofen	0.010	0.010	Paraaxon (Paraaxon-ethyl)	0.010	0.010
Flupicilide	0.010	0.010	Lenacil	0.010	0.010	Paraaxon methyl	0.010	0.010
Flupyradifurone	0.010	0.010	Lindane (gamma BHC)	0.010	0.010	Parathion ethyl	0.010	0.010
Flupyram	0.010	0.010	Linuron	0.010	0.010	Parathion methyl	0.010	0.010
Fluoxastrobin	0.010	0.010	Malachon	0.010	0.010	Penconazole	0.010	0.010
Flupyradifurone	0.010	0.010	Malathion	0.010	0.010	Pendimethalin	0.010	0.010
Fluridone	0.010	0.010	Mandipropamid	0.010	0.010	Penflufen	0.010	0.010
Fluroxypyr	0.010	0.010	MCPA/MCPB	0.010	0.010	Pentachloroaniline	0.010	0.010
Flusilazd	0.010	0.010	Mecabam	0.010	0.010	Pentachlorobenzene (PCB)	0.010	0.010
Ruthiacet Methyl	0.010	0.010	Mecaprop (MCP)	0.010	0.010	Pentachlorophenol	0.010	0.010
Rutolanil	0.010	0.010	Mepanipyrim	0.010	0.010	Pentachlorothioanisole (PCTA)	0.010	0.010
Flutriafol	0.010	0.010	Mesosulfuronmethyl0.	0.010	0.010	Penthiopyrad	0.010	0.010
Fluvalinate	0.010	0.010	Mesotrione	0.010	0.010	Permethrin	0.010	0.010
Fluxapyroxad	0.010	0.010	Metaxyl/ Mefenoxim	0.020	0.050	Perthane	0.010	0.010
Folpet	0.010	0.010	Metconazole	0.010	0.010	Phenmedipham	0.010	0.010
Fomesafen	0.010	0.010	Methacifos	0.010	0.010	Phenothrin	0.010	0.010
Fonofos	0.010	0.010	Methamidophos	0.010	0.010	Phenthoate	0.010	0.010
Foramsulfuron	0.010	0.010	Methidathion	0.010	0.010	Phorate	0.010	0.010
Forchlorfenuron	0.010	0.010	Methiocarb	0.010	0.010	Phorate OA	0.010	0.010
Formetanate	0.010	0.010	Methiocarb sulfone	0.010	0.010	Phorate Sulfone	0.010	0.010
Furathiocarb	0.010	0.010	Methiocarb sulfoxide	0.010	0.010	Phorate Sulfoxide	0.010	0.010
Halosulfuron-methyl	0.010	0.010	Methomyl	0.010	0.010	Phosalone	0.010	0.010
Haloxypop	0.010	0.010	Methoxychlor	0.010	0.010	Phosmet	0.010	0.010
Heptachlor	0.010	0.010	Methoxyfenozide	0.010	0.010			
Heptachlorepoide	0.010	0.010						

LOQ= Limit of quantitation, mg/kg

Lo H2O: Sample moisture content less than 70%

Hi H2O: Sample moisture content greater than 70%



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 20-008355/D02.R00
Report Date: 08/13/2020
Purchase Order:
Received: 08/10/20 10:28 AM



ColumbiaLaboratories,Inc
P2220 Multi-Residue Profile, Limits of Quantitation (MDL Sheet)

Compound	Hi H2O	Lo H2O	Compound	Hi H2O	Lo H2O	Compound	Hi H2O	Lo H2O
Phosphamidon	0.010	0.020	Pyroxsulam	0.010	0.010	Terbutylazide	0.010	0.010
Phoxim	0.010	0.010	Quinalphos	0.010	0.010	Terbutryn	0.010	0.010
Picloram	0.010	0.010	Quinclorac	0.010	0.010	Tetrachlorvinphos	0.010	0.010
Pinoxaden	0.010	0.010	Quinoxifen	0.010	0.010	Tetraconazole	0.010	0.010
Peroponyl butoxide	0.010	0.010	Quintozene (PQNB)	0.010	0.010	Tetradifon	0.010	0.010
Primaicab	0.010	0.010	Quizabfop	0.010	0.010	Tetramethrin	0.010	0.010
Primiphos-methyl	0.010	0.010	Resmethrin	0.010	0.010	Tetrasul	0.010	0.010
Primiphos-ethyl	0.010	0.010	Rmsulfuron	0.010	0.010	Thiabendazole	0.010	0.010
Primisulfuron-methyl	0.010	0.010	Rotenone	0.010	0.010	Thiabendazole, 5-hydroxy	0.010	0.010
Prallethrin	0.010	0.010	S21	0.010	0.010	Thiobencarb	0.010	0.010
Prochloraz	0.010	0.010	Saflufenacil	0.010	0.010	Thiodicarb	0.010	0.010
Procymidone	0.010	0.010	Sebutylazide	0.010	0.010	Thiamethoxam	0.010	0.010
Prodiamine	0.010	0.020	Sethoxydim	0.010	0.010	Thifensulfuron-methyl	0.010	0.010
Profenofos	0.010	0.010	Simazine	0.010	0.010	Thiobencarb	0.010	0.010
Profluralin	0.010	0.010	Smetryn	0.010	0.010	Thiodicarb	0.010	0.010
Promecarb	0.010	0.010	Spinetoram	0.010	0.010	Thionazin	0.010	0.020
Prometon	0.010	0.010	Spinosad (Spinosyn A, D)	0.010	0.010	Thiophanate-methyl	0.010	0.010
Prometryn	0.010	0.010	Spirodiclofen	0.010	0.010	Tolclofos-methyl	0.010	0.010
Pronamide (Propyzamide)	0.010	0.010	Spiromesifen	0.010	0.010	Tolfenpyrad	0.010	0.010
Propachlor	0.010	0.010	Spirotetramat	0.010	0.010	Tolyfluanid	0.010	0.010
Propamocarb	0.010	0.010	Spirotetramat enol	0.010	0.010	Topramezone	0.010	0.010
Propanil	0.010	0.010	Spiroxamine	0.010	0.010	Tralkoxydim	0.010	0.010
Propargite	0.010	0.010	Sulfallate	0.010	0.020	Triadimefon	0.010	0.010
Propazine	0.010	0.010	Sulfentrazone	0.010	0.010	Triadimenol	0.010	0.010
Propetamphos	0.010	0.010	Sulfometuron-methyl	0.010	0.010	Triallate	0.010	0.010
Propham	0.010	0.010	Sulfosulfuron	0.010	0.010	Triasulfuron	0.010	0.010
Propiconazole	0.010	0.010	Sulfotep	0.010	0.010	Triazophos	0.010	0.010
Propoxur	0.010	0.010	Sulfoxaflo	0.010	0.010	Tribenuron-methyl	0.010	0.010
Propoxycarbazine sodium	0.010	0.010	Sulprofos	0.010	0.010	Triclopyr	0.010	0.010
Prosulfuron	0.010	0.010	tau-Fluvalinate	0.010	0.010	Trichlorfon	0.010	0.010
Prothioconazole	0.010	0.010	Tebuconazole	0.010	0.010	Trifloxystrobin	0.010	0.010
Prothiofos	0.010	0.010	Tebufenozide	0.010	0.010	Trifloxysulfuron	0.010	0.010
Pymetrozine	0.010	0.010	Tebuthiuron	0.010	0.010	Triflumizide	0.010	0.010
Pyraclostrobin	0.010	0.010	Tecnazene	0.010	0.010	Trifluralin	0.010	0.010
Pyrazophos	0.010	0.010	Tefluthrin	0.010	0.010	Triflusulfuron-methyl	0.010	0.010
Pyrethrin	0.010	0.010	Tembotrione	0.010	0.010	Triforin	0.010	0.010
Pyridaben	0.010	0.010	Terbacil	0.010	0.010	Triticonazole	0.010	0.010
Pyridate (Metabolite)	0.010	0.010	Terbufos	0.010	0.010	Vinclozolin	0.010	0.010
Pyrimethanil	0.010	0.010	Terbufos sulfone	0.010	0.010	Zoxamide	0.010	0.010
Pyriproxifen	0.010	0.010	Terbufos sulfoxide	0.010	0.010			
Pyroxsulfone	0.010	0.010						

ND = Not Detected

Hi H2O: Sample moisture content greater than 70%

Lo H2O: Sample moisture content less than 70%

mg/kg = Parts per Million (ppm)

LOQ = Limit of Quantitation, mg/kg: If an amount below this level is detected (and the identity confirmed), it may be reported as "Trace".

MDL = Method Detection Limit = LOQ

LOQs above are typical of most analyses. Factors affecting the LOQ include instrument sensitivity for a particular analyte, sample size, moisture content (percent solids) of the sample, effectiveness of the cleanup on the sample extract, and especially the type of sample matrix.

03/09/2020

3 of 3



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

Certificate of Analysis

Client Information

AnnieMak Skincare
297 Kingsbury Grade, Suite 100
Stateline, NV
89449 USA
888-665-1531

Sample Information

ARL ID: 414670
Date Received: 5/7/2021
PO#: 111
Description: Reverse Anti Aging Serum
Lot#: 19543

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
Heavy Metals	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	< 0.001	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.011	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.01	ppm	1
Mineral - 2						1
Nickel (Ni)	ARI ICPMS	0.001	Record Only	< 0.001	ppm	1
Aluminum (Al)	ARI ICPMS	0.001	Record Only	0.109	ppm	1
Allergen Profile	ELISA					1
Gluten Allergens (as Gliadin)	2.055	2.5	Record Only	<2.5	ppm	1
Peanut Allergens		2.5	Record Only	<2.5	ppm	1
Almond Allergens		2.5	Record Only	<2.5	ppm	1
Hazelnut Allergens		2.5	Record Only	<2.5	ppm	1
Milk Allergens		2.5	Record Only	<2.5	ppm	1
Egg Allergens		2.5	Record Only	<2.5	ppm	1
Soy Allergens		2.5	Record Only	<2.5	ppm	1
Crustacean Allergens (Tropomyosin)		2.5	Record Only	<2.5	ppm	1

Notes:

*See Supplemental COA.

Form# arlcoa031201a

Printed on: May 24, 2021 3:42 PM

experience • professionalism • value


Released by: Kara Woodbury
May 24, 2021
Page 1

[†]**Method Detection Limit (MDL):** In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. **Limit of Quantitation (LOQ):** In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

Certificate of Analysis

Client Information

AnnieMak Skincare
297 Kingsbury Grade, Suite 100
Stateline, NV
89449 USA
888-665-1531

Sample Information

ARL ID: 414670
Date Received: 5/7/2021
PO#: 111
Description: Reverse Anti Aging Serum
Lot#: 19543

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
Pesticides (Multi Residue Profile)	P2220	0.1	Record Only	*See Notes	ppm	17
Glyphosate	LC-MS/MS	0.0500	Record Only	<0.0500	ppm	17
GMO Screen	Quantitative PCR		Record Only			8
CaMV 35S Promoter	Quantitative PCR	Positive/Neg	Record Only	Negative		8
NOS Terminator	Quantitative PCR	Positive/Neg	Record Only	Negative		8
FMV 35S Promoter	Quantitative PCR	Positive/Neg	Record Only	Negative		8

Notes:

*See Supplemental COA.

Form# arlcoa031201a

Printed on: May 24, 2021 3:42 PM

experience • professionalism • value


Released by: Kara Woodbury
May 24, 2021
Page 2

[†]**Method Detection Limit (MDL):** In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. **Limit of Quantitation (LOQ):** In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

* ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and Supplement also available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-005237/D002.R00
Report Date: 05/19/2021
Purchase Order:
Received: 05/11/21 10:30 AM



Customer: Analytical Resource Lab
520 South 850 East, STE B3
Lehi Utah 84043
United States of America (USA)

Sample ID: 414670 Reverse Anti Aging Serum Lot 19543

Sample Matrix: Supplement

Laboratory ID: 21-005237-0002-00

Evidence of Cooling: No

Temp: 20 °C

Relinquished by: UPS

Sample Results

Individual Analyses

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Glyphosate	< LOQ	mg/kg	0.0500	05/17/21	QuPPE-method, EURL-SRM, Version 7, Dec 2012	

Pesticides

Multi-Residue Pesticide Profile

All compounds on the attached sheet were found to be <LOQ except those listed

Analyte	Result	Units	LOQ	Analyzed	Method	Notes
Boscalid	0.111	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Chlorpyrifos	0.0180	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Cyprodinil	0.0780	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Fenhexamid	0.0430	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Fludioxonil	0.0350	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Fluopyram	0.0130	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Piperonyl butoxide	0.0120	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Pyraclostrobin	0.0440	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	
Pyrimethanil	0.124	mg/kg	0.0100	05/18/21	AOAC 2007.01 & EN 15662 (mod)	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-005237/D002.R00
Report Date: 05/19/2021
Purchase Order:
Received: 05/11/21 10:30 AM



CFL-E65 R0.00
Effective 1/22/2021

Columbia Laboratories, Inc
P2220 Multi-Residue Profile, Limits of Quantitation (MDL Sheet)

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
2,4,5-T	0.010	Butachlor	0.010	Cymoxanil	0.010
2,4,5-TP	0.010	Butralin	0.020	Cypermethrin	0.010
2,4-D	0.010	Butylate	0.010	Cyprodinil	0.010
2,4-DB	0.010	Cadusafos	0.010	Cyromazine	0.010
2,4-DP (Dichlorprop)	0.010	Captafol	0.100	DCPMU	0.010
Abamectin (Avermectin)	0.010	Captan	0.020	DDD, o,p'-	0.010
Acephate	0.020	Carbaryl	0.010	DDD, p,p'-	0.010
Acequinocyl	0.010	Carbendazim	0.010	DDE, o,p'-	0.010
Acetamiprid	0.010	Carbofuran	0.010	DDE, p,p'-	0.010
Acetochlor	0.020	Carbofuran, 3-hydroxy	0.010	DDT, o,p'-	0.010
Acifluorfen	0.010	Carbophenothion	0.010	DDT, p,p'-	0.010
Acrinathrin	0.010	Carbophenothion methyl	0.010	DEF (Tribufos)	0.010
Alachlor	0.020	Carboxin	0.010	Deltamethrin	0.010
Aldicarb	0.010	Carfentrazone-ethyl	0.010	Demeton-S	0.020
Aldicarb sulfone (Aldoxycarb)	0.010	Chlorantraniliprole	0.010	Demeton-S methyl-sulfone	0.020
Aldicarb-sulfoxide	0.010	Chlordane, cis-	0.010	Demeton-s-methyl	0.020
Aldrin	0.010	Chlordane, trans-	0.010	Desmedipham	0.010
Ametoctradin	0.010	Chlordimeform	0.010	Diallate	0.010
Ametryn	0.010	Chlorfenapyr	0.020	Diazinon	0.010
Aminocyclopyrachlor	0.010	Chlorfenson (Ovex)	0.010	Diazoxon	0.010
Anilazine	0.030	Chlorfenvinphos	0.010	Dicamba (Banvel)	0.010
Aspon	0.010	Chlorimuron-ethyl	0.010	Dichlobenil	0.010
Asulam	0.010	Chlornitrofen (CNP)	0.020	Dichlofenthion	0.010
Atrazine	0.010	Chlorobenzilate	0.010	Dichlofluanid	0.010
Atrazine-desethyl	0.010	Chloroneb	0.010	Dichlorobenzamide	0.010
Azinphos-ethyl	0.010	Chlorothalonil	0.040	Dichlorvos	0.010
Azinphos-methyl	0.010	Chlorpropham (CIPC)	0.010	Diclobutrazol	0.010
Azoxystrobin	0.010	Chlorpyrifos (ethyl)	0.010	Diclofop (acid)	0.010
Benalaxyl	0.010	Chlorpyrifos-methyl	0.010	Diclofop-methyl	0.010
Bendiocarb	0.010	Chlorsulfuron	0.010	Dicloran	0.040
Benfluralin	0.010	Chlorthal-dimethyl (Dacthal)	0.010	Dicofol, p,p'-/o,p'-	0.020
Benoxacor	0.010	Chlorthion	0.020	Dicrotophos	0.010
Bensulide	0.010	Chlorthiophos	0.010	Dieldrin	0.010
Bentazon	0.010	Clethodim	0.010	Diethofencarb	0.010
BHC alpha isomer	0.010	Clethodim sulfone	0.010	Diethyltoluamide (DEET)	0.010
BHC beta isomer	0.010	Clethodim sulfoxide	0.010	Difenoconazole	0.010
BHC delta isomer	0.010	Clofentazine	0.010	Diffubenzuron	0.010
Bifenazate	0.010	Clomazone	0.010	Diffufenzopyr	0.010
Bifenox	0.010	Clopyralid	0.010	Dimethenamid	0.010
Bifenthrin	0.010	Clothianidin	0.010	Dimethoate	0.010
Binapacryl	0.040	Coumaphos	0.010	Dimethomorph	0.010
Bitertanol	0.020	Crotoxyphos	0.010	Diniconazole	0.010
Boscalid	0.010	Cyanazine	0.010	Dinocap	0.010
Bromacil	0.020	Cyanofenphos	0.010	Dinoseb (Dinitro)	0.010
Bromophos-methyl	0.010	Cyanophos	0.040	Dinotefuran	0.010
Bromophos-ethyl	0.020	Cyantraniliprole	0.010	Dioxathion	0.010
Bromopropylate	0.010	Cyazofamid	0.010	Diphenamid	0.010
Bromoxynil	0.010	Cycloate	0.010	Diphenylamine (DPA)	0.010
Bromuconazole	0.010	Cycloxydim	0.010	Disulfoton	0.020
Bupirimate	0.010	Cyfluthrin	0.030	Disulfoton sulfone	0.010
Buprofezin	0.010	Cyhalothrin, lambda	0.010	Disulfoton sulfoxide	0.010

LOQ = Limit of Quantitation, mg/kg: If an amount below this level is detected (and the identity confirmed), it may be reported as "Trace".
MDL = Method Detection Limit = LOQ

1 of 3



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-005237/D002.R00
Report Date: 05/19/2021
Purchase Order:
Received: 05/11/21 10:30 AM



Columbia Laboratories, Inc
P2220 Multi-Residue Profile, Limits of Quantitation (MDL Sheet)

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Dithianon	0.010	Flufenacet	0.010	Isoxaflutole	0.010
Diuron	0.010	Flumioxazin	0.010	Kresoxim-methyl	0.010
DNOC	0.010	Fluometuron	0.010	Lactofen	0.020
Edifenphos	0.010	Fluopicolide	0.010	Lenacil	0.010
Endosulfan (α isomer)	0.020	Fluopyram	0.010	Lindane	0.010
Endosulfan (β isomer)	0.020	Fluoxastrobin	0.010	Linuron	0.010
Endosulfan sulfate	0.010	Flupyradifurone	0.010	Malaaxon (Malathion-o-analog)	0.010
Endrin	0.020	Fluridone	0.010	Malathion	0.010
Endrin aldehyde	0.020	Fluroxypyr (free acid)	0.010	Mandipropamid	0.010
EPN	0.010	Flusilazol	0.010	MCPA	0.010
EPTC	0.010	Fluthiacet Methyl	0.010	MCPB	0.010
Esfenvalerate/Fenvalerate	0.020	Flutolanil	0.010	MCPP (Mecoprop)	0.010
Etaconazole	0.010	Flutriafol	0.010	Mecarbam	0.010
Ethalfuralin	0.010	Fluvalinate -tau	0.010	Mepanipyrim	0.010
Ethiofencarb	0.010	Fluxapyroxad	0.010	Mesosulfuron Methyl	0.010
Ethion	0.010	Folpet	0.020	Mesotrione	0.010
Ethirimol	0.010	Fomesafen	0.010	Metaxyl/Mefenoxam	0.010
Ethofumesate	0.010	Fonofos	0.010	Metconazole	0.010
Ethoprophos	0.010	Foramsulfuron	0.010	Methacrifos	0.010
Ethoxyquin	0.010	Forchlorfenuron	0.010	Methamidophos	0.010
Etofenprox	0.010	Formetanate	0.010	Methidathion	0.010
Etioazole	0.010	Furathiocarb	0.010	Methiocarb	0.010
Etridiazole	0.010	Halosulfuron-methyl	0.010	Methiocarb sulfone	0.010
Etrimfos	0.010	Haloxypfop (free acid)	0.010	Methiocarb sulfoxide	0.010
Famoxadone	0.020	Heptachlor & Heptachlor epoxide	0.010	Methomyl	0.010
Famphur	0.010	Hexachlorobenzene (HCB)	0.010	Methoxychlor	0.010
Fenamidone	0.010	Hexaconazole	0.010	Methoxyfenozide	0.010
Fenamiphos	0.010	Hexazinone (Velpar)	0.010	Metobromuron	0.010
Fenamiphos Sulfone	0.010	Hexythiazox	0.010	Metolachlor	0.010
Fenamiphos Sulfoxide	0.010	Hydroprene	0.010	Metolcarb	0.010
Fenarimol	0.010	Imazalil	0.010	Metrafenone	0.010
Fenazaquin	0.010	Imazamox	0.010	Metribuzin	0.010
Fenbuconazole	0.010	Imazapic	0.010	Metsulfuron-methyl	0.010
Fenbutatin oxide	0.010	Imazapyr	0.010	Mevinphos	0.010
Fenchlorphos	0.010	Imazaquin	0.010	Mexacarbate	0.010
Fenhexamid	0.010	Imazethapyr	0.010	MGK-264	0.010
Fenitrothion	0.010	Imidacloprid	0.010	Mirex	0.010
Fenobucarb (Baycarb)	0.010	Imidoxone (Phosmet-Oxon)	0.010	Molinate	0.010
Fenoxaprop-P-Ethyl	0.010	Indaziflam	0.010	Monocrotophos	0.010
Fenoxycarb	0.010	Indoxacarb	0.010	Monolinuron	0.010
Fenpropathrin	0.010	Iprobenfos	0.010	Myclobutanil	0.010
Fenpyroximate	0.010	Iprodione	0.020	Naled	0.010
Fenson	0.020	Isazophos	0.010	Napropamide	0.010
Fensulfothion	0.010	Isobenzan	0.010	Neburon	0.010
Fenthion	0.010	Isocarbophos	0.010	Nicosulfuron	0.010
Fenuron	0.010	Isodrin	0.010	Nitrapyrin	0.020
Fipronil	0.010	Isofenphos	0.010	Nitrofen	0.020
Flonicamid	0.010	Isofenphos-methyl/ OA	0.010	Norflurazon	0.010
Fluazifop	0.010	Isoprocarb	0.010	Novaluron	0.010
Fluazinam	0.010	Isopropalin	0.010	Nuarimol	0.020
Fluchloralin	0.010	Isoprothiolane	0.010	Omethoate	0.010
Flucythrinate	0.030	Isoproturon	0.010	O-Phenylphenol	0.010
Fludioxonil	0.010	Isoxaben	0.010	Oryzalin	0.010

LOQ = Limit of Quantitation, mg/kg: If an amount below this level is detected (and the identity confirmed), it may be reported as "Trace".
MDL = Method Detection Limit = LOQ



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 21-005237/D002.R00
Report Date: 05/19/2021
Purchase Order:
Received: 05/11/21 10:30 AM



Columbia Laboratories, Inc
P2220 Multi-Residue Profile, Limits of Quantitation (MDL Sheet)

Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)	Compound	LOQ (mg/kg)
Compound	0.010	Propanil	0.010	Tembotrione	0.010
Oxadiazon	0.010	Propargite	0.010	Terbacil	0.040
Oxadixyl	0.010	Propazine	0.010	Terbufos	0.010
Oxamyl	0.010	Propetamphos	0.010	Terbufos sulfone	0.010
Oxamyl-oxime	0.010	Propham	0.010	Terbufos sulfoxide	0.010
Oxychlorane	0.010	Propiconazole	0.010	Terbutylazine	0.010
Oxydemeton-Methyl	0.010	Propoxur	0.010	Terbutryn	0.010
Oxyfluorfen	0.010	Propoxycarbazon sodium	0.010	Tertrachlorvinphos	0.010
Oxythioquinox	0.020	Prosulfuron	0.010	Tetraconazole	0.010
Paclobutrazol	0.010	Prothioconazole	0.010	Tetradifon	0.010
Paraoxon-methyl/ethyl	0.010	Prothiofos	0.010	Tetramethrin	0.010
Parathion-ethyl	0.010	Pymetrozine	0.010	Tetrasul	0.010
Parathion-methyl	0.030	Pyraclostrobin	0.010	Thiabendazole	0.010
PCP (Pentachlorophenol)	0.010	Pyraflufen-ethyl	0.010	Thiabendazole, 5-hydroxy	0.010
Penconazole	0.010	Pyrazophos	0.010	Thiacloprid	0.010
Pendimethalin	0.010	Pyrethrins	0.010	Thiamethoxam	0.010
Penflufen	0.010	Pyridaben	0.010	Thifensulfuron-methyl	0.010
Pentachloroaniline (PCA)	0.010	Pyridate	0.010	Thiobencarb (benthiocarb)	0.010
Pentachloroanisole	0.010	Pyrimethanil	0.010	Thiodicarb	0.010
Pentachlorobenzene (PCB)	0.010	Pyriproxifen	0.010	Thiometon	0.020
Pentachlorothioanisole (PCTA)	0.030	Pyroxasulfone	0.010	Thionazin	0.010
Penthiopyrad	0.010	Pyroxulam	0.010	Thiophanate-methyl	0.010
Permethrin	0.010	Quinalphos	0.010	Tolclofos-methyl	0.010
Perthane	0.010	Quinlorac	0.010	Tolfenpyrad	0.010
Phenmedipham	0.010	Quinoxifen	0.010	Tolylfluanid	0.010
Phenothrin	0.010	Quintozene(PCNB)	0.010	Topramezone	0.010
Phenthoate	0.010	Quizalofop (free acid)	0.010	Tralkoxydim	0.010
Phorate	0.010	Resmethrin	0.010	Triadimefon	0.010
Phorate OA	0.010	Rimsulfuron	0.010	Triadimenol	0.010
Phorate Sulfone	0.010	Rotenone	0.010	Tri-allate	0.010
Phorate Sulfoxide	0.010	S-421	0.010	Triasulfuron	0.010
Phosalone	0.010	Saflufenacil	0.010	Triazophos	0.010
Phosmet	0.010	Sebutylazine	0.010	Tribenuron-methyl	0.010
Phosphamidon	0.010	Sethoxydim	0.010	Trichlorfon	0.010
Phoxim	0.010	Simazine	0.010	Triclopyr	0.020
Phthalimide	0.020	Simetryn	0.010	Trifloxystrobin	0.010
Picloram	0.010	Spinetoram	0.010	Trifloxysulfuron -sodium	0.010
Pinoxaden	0.010	Spinosad (α , β isomers)	0.010	Triflumizole	0.010
Piperonyl Butoxide	0.010	Spirodiclofen	0.010	Trifluralin	0.010
Pirimicarb	0.010	Spiromesifen	0.010	Triflusaluron-methyl	0.010
Pirimiphos-Ethyl	0.010	Spirotetramat	0.010	Triforin	0.010
Pirimiphos-Methyl	0.010	Spirotetramat-enol	0.010	Trinexapac (acid)	0.010
Pirimisulfuron-Methyl	0.010	Spiroxamine	0.010	Trinexapac Ethyl	0.010
Prallethrin	0.010	Sulfallate	0.010	Triticonazole	0.010
Prochloraz	0.010	Sulfentrazone	0.030	Vinclozolin	0.010
Procymidone	0.010	Sulfometuron-methyl	0.010	Zoxamide	0.010
Prodiamine	0.010	Sulfosulfuron	0.010		
Profenofos	0.010	Sulfotep	0.010		
Profluralin	0.010	Sulfoxafior	0.010		
Promecarb	0.010	Sulprofos	0.010		
Prometon	0.010	Tebuconazole	0.010		
Prometryne	0.010	Tebufenozide	0.010		
Pronamide (Propyzamide)	0.010	Tebuthiuron	0.010		
Propachlor	0.010	Tecnazene	0.010		
Propamocarb	0.010	Teftuthrin	0.010		

mg/kg = Parts per Million (ppm)

LOQ = Limit of Quantitation, mg/kg:

If an amount below this level is detected (and the identity confirmed),
it may be reported as "Trace".

MDL = Method Detection Limit = LOQ

LOQs above are typical of most analyses. Factors affecting the LOQ include
instrumentation sensitivity for a particular analyte, sample size, moisture content
(percent solids) of the sample, effectiveness of the cleanup on the sample extract,
and especially the type of sample matrix.

3 of 3